

Regression

Variables Entered/Removed^b

Model	Variables Entered	Variables Removed	Method
1	X _a	.	Enter

a. All requested variables entered.

b. Dependent Variable: y

Model Summary^b

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate
1	,951 ^a	,904	,880	,62136

a. Predictors: (Constant), x

b. Dependent Variable: y

ANOVA^b

Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	14,487	1	14,487	37,524	,004 ^a
	Residual	1,544	4	,386		
	Total	16,032	5			

a. Predictors: (Constant), x

b. Dependent Variable: y

Coefficients^a

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	,052	,504		,103	,923
	x	32,017	5,227	,951	6,126	,004

a. Dependent Variable: y


Residuals Statistics^a

	Minimum	Maximum	Mean	Std. Deviation	N
Predicted Value	,0520	4,8544	2,7200	1,70220	6
Residual	-,95278	,52804	,00000	,55576	6
Std. Predicted Value	-1,567	1,254	,000	1,000	6
Std. Residual	-1,533	,850	,000	,894	6


a. Dependent Variable: y

Charts

Histogram



Normal P-P Plot of Regression Standardized Residual



Scatterplot

Dependent Variable: y

